

Waterall's Combination Paint, Ready for Use.



DIRECTIONS.


Stir well before using, and should any thinning be required, use Boiled Linseed Oil, except for inside white paint, which should be thinned with Spirits of Turpentine only. Apply in the same manner as ordinary paint. This paint is specially adapted for fine wall work.

No. 3 is the Best Paint in the Market for Tin Roofs.
One Gallon will cover 600 square feet.



L. GREEN, RED, YELLOW, BLUE, ORANGE, M. GREEN.
Brilliant Colors like these but of Lower Grades for Barrel Heads, &c.

SUBMIT THE PAINT EITHER TO CHEMICAL TEST OR TO THE JUDGMENT OF AN EXPERIENCED PAINTER, and prove what we claim this Paint to be, a strictly pure, elastic, glossy, durable Paint; the best in the market. As near as can be estimated, one gallon will paint over 400 sq. ft. of primed surface.




Waterall's Combination Paint, Ready for Use.

1873.

ESTABLISHED. 1858.

1881.

WILLIAM WATERALL & CO.



Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Jablonski Building Conservation
www.jbconservation.com